Biomedical Optics EXPRESS

Miniature structured illumination microscope for in vivo 3D imaging of brain structures with optical sectioning: supplement

OMKAR D. SUPEKAR,^{1,2,9} ANDREW SIAS,³ SEAN R. HANSEN,³ GABRIEL MARTINEZ,³ GRAHAM C. PEET,⁴ XIAOYU PENG,⁵ VICTOR M. BRIGHT,² ETHAN G. HUGHES,⁴ DIEGO RESTREPO,⁴ DOUGLAS P. SHEPHERD,⁶ CRISTIN G. WELLE,^{5,7} JULIET T. GOPINATH,^{1,8} AND EMILY A. GIBSON^{3,10}

This supplement published with Optica Publishing Group on 29 March 2022 by The Authors under the terms of the Creative Commons Attribution 4.0 License in the format provided by the authors and unedited. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

Supplement DOI: https://doi.org/10.6084/m9.figshare.19355297

Parent Article DOI: https://doi.org/10.1364/BOE.449533

¹Department of Electrical, Energy and Computer Engineering, University of Colorado Boulder, CO 80309, USA

²Department of Mechanical Engineering, University of Colorado Boulder, CO 80309, USA

³Department of Bioengineering, University of Colorado Anschutz Medical Campus, CO 80045, USA

⁴Department of Cell and Developmental Biology, University of Colorado Anschutz Medical Campus, CO 80045, USA

⁵Department of Physiology and Biophysics, University of Colorado Anschutz Medical Campus, CO 80045, USA

⁶Department of Physics, Arizona State University, Tempe, AZ 85287, USA

⁷Department of Neurosurgery, University of Colorado Anschutz Medical Campus, CO 80045, USA

⁸Department of Physics, University of Colorado Boulder, CO 80309, USA

⁹omkar.supekar@colorado.edu

¹⁰emily.gibson@cuanschutz.edu

Miniature Structured Illumination Microscope for *in vivo* 3D Imaging of Brain Structures with Optical Sectioning

OMKAR D. SUPEKAR,^{1,2,*} ANDREW SIAS,⁴ SEAN R. HANSEN,⁴ GABRIEL MARTINEZ,⁴ GRAHAM C. PEET,⁷ XIAOYU PENG,⁶ VICTOR M. BRIGHT,² ETHAN G. HUGHES,⁷ DIEGO RESTREPO,⁷ DOUGLAS P. SHEPHERD,⁸ CRISTIN G. WELLE,^{5,6} JULIET T. GOPINATH,^{1,3} EMILY A. GIBSON^{4,*}

Supplementary Materials




Figure S1: (A) Schematic of the experimental setup; (B) SIM pattern on the distal end of the fiber; (C) Cross-sectional view of the SIMscope3D; (D) SIM reconstructed image of the fixed tissue sample.

¹Department of Electrical, Energy and Computer Engineering, University of Colorado Boulder, CO, 80309, USA

²Department of Mechanical Engineering, University of Colorado Boulder, CO, 80309, USA

³Department of Physics, University of Colorado Boulder, CO, 80309, USA

⁴Department of Bioengineering, University of Colorado Anschutz Medical Campus, CO, 80045, USA

⁵Department of Neurosurgery, University of Colorado Anschutz Medical Campus, CO, 80045, USA

⁶Department of Physiology and Biophysics, University of Colorado Anschutz Medical Campus, CO, 80045, USA

Department of Cell and Developmental Biology, University of Colorado Anschutz Medical Campus, CO, 80045, USA

⁸Department of Physics, Arizona State University, Tempe, Arizona, 85287, USA

^{*}omkar.supekar@colorado.edu, emily.gibson@cuanschutz.edu




Figure S2: Axial depth calibration of the SIMscope3D as a function of the electrowetting lens applied voltage.




Figure S3: FOV calibration of the SIMscope3D at various axial depths using a 50 μ m square grid pattern based on axial calibration from Figure S1. Scale bar is 50 μ m.




Figure S4: (A) Zemax OpticStudio design of the excitation path at 470 nm for the SIMscope3D. The dichroic cube (DC) is modeled as a 5 mm path length BK-7 window. The fiber bundle (FB) provides the excitation light for the SIMscope3D. Lenses (L1 to L4) are achromatic doublets, and the electrowetting lens (EWL) provides depth scanning of the imaging plane (IP) of up to 550 µm below the coverslip. The imaging plane has a field curvature of 2.71 mm; (B) Cross-sectional view of the SIMscope3D CAD design with all the components listed. CFB: Coherent Fiber Bundle,

Fujikura FIGH-10-500N, L1: Edmund Optics 3mm Dia. x 9mm FL MgF2 coated achromatic doublet lens, L2: Edmund Optics 5mm Dia. x 20mm FL MgF2 coated achromatic doublet lens, L3: Thorlabs 5mm Dia. x 7.5mm FL A coated achromatic doublet, L4: Edmund Optics 3mm Dia. x 4.5mm FL MgF2 coated achromatic doublet lens, DC: Dichroic Cube, Shanghai Optics cemented cube with dichroic coating reflecting 440-480 nm and transmitting 510-550 nm, EWL: Electrowetting Lens, Varioptic Corning A25H, NF: Notch Filter or the Emission Filter, CMOS: CMOS image sensor, Ximea MU9PM-MBRD, IP: Imaging Plane; (C) Full field spot diagram corresponding to object field positions 0mm, 0.115mm and 0.23mm at depths 42µm, 120 µm and 478 µm, here object field position corresponds to the location of the fiber in the CFB; (D) Huygens point spread function at the imaging plane (130µm in the tissue) for various object positions; (E) Huygens modulus of the optical transfer function for various object field positions in the fiber bundle.




Figure S5: (A) Average Z projection (over 15 μ m) of SIM image stack at two depths (top = 45 μ m; bottom = 70 μ m). The same FOV is used for all panels and ROIs indicate the same cells in each panel at a given depth. (B) Average Z projection of 2P image stack at same depths as A, with same Z depth range. (C) Panels A and B overlaid with areas of direct overlap shown in white. Imperfect overlap may be due to cell migration between imaging. Coverslip was slightly angled for 2P imaging which caused the FOV to be obscured at depths above ~45 μ m.




Figure S6: List of components and estimated weights for SIMscope3D. The optical elements weigh approximately 1.2 g, with the CMOS and the enclosure contributing approximately 1.9 g and 3.6 g. The total weight of SIMscope3D is 6.7 g.